PharmOutcomes[®] Pharmacy First - Impetigo

Consultation date:// Time:: Practitioner name:					
	Р	Patient Details			
Name: Post		ode:		NHS Number:	
Date of birth:// Addre		s:		Contact Details:	
Gender: □ Male □ Female □ Trans					
Ethnicity:	I				
 White - British White - Irish White - Irish White - Any other mixed White - Any other White background Asian or Asian British - Pa Mixed - White and Black Caribbean Mixed - White and Black African Asian or Asian British - Ar Mixed - White and Asian Black or Black British - Car 		ndian akistani angladeshi any other Asian background	 Black o Other E 	r Black British - African r Black British – Any other Black background Ethnic Groups - Chinese Ethnic Groups – Any other ethnic group ted	
	GP Practice,	Consent & Service	Entry		
The patient must be advised of the following i	ill take place:	GP Pract	ice:		
 With your GP practice to inform them of the outcome of your connection NHS Pharmacy First Service. The sharing of information about the service with NHS England a monitoring and evaluation; and The sharing of information about the service with the NHSBSA and the purpose of contract management and as part of post-payment Consent: (required) Yes No Referrer organisation: (if referred) Signposted from: NHS 111 NHS 111 Online NHS 111 Online 		as part of the service nd NHS England for nt verification (PPV).	Method of entry to service: Signposted Self-referral Referral (via PharmOutcomes) Email referral Onward referral from another pharmacy Consultation method: Face to face Live video link Patient would have attended: (if self-referred) NHS 111 NHS 111 Online Ambulance Service GP Practice GP Practice Online Emergency Department Urgent Treatment Centre Walk-in Centre Other (please state) Referral reference: (if referred/signposted)		
 GP Practice Emergency Department Ambulance Service Urgent Treatment Centre Referrer contact: (if referred)	 Ambulance Service GP Practice GP Practice Online Emergency Department Urgent Treatment Centre Walk-in Centre Other (please state) Referrer ODS code: (if referred/signposted)				
		ient Assessment			
 Existing medical conditions (e.g. any LTC such as asthma, heart disease, respiratory conditions) Allergies and sensitivities (e.g. penicillin) Patient has a family history of medical conditions Currently taking any medication (consider prescription and OTC) Breastfeeding Clinical observations, tests or algorithms conducted (e.g. NEWS2, FeverPAIN) Other 		Anything taken to help with the condition to date? (if referred) • Yes • No Details: (if answered 'yes' above)			
		Clinical notes/observations: (including any associated symptoms if identified)			
□ None of the above Symptom duration: (if referred) □ < 24 hours □ 24-72 hours Established pregnancy? □ Yes □ No □ N/A	□ > 72 hours	-			

PharmOutcomes[®] Pharmacy First - Impetigo

Patient name: Date: Date:/	_/				
Patient Assessment					
Does the patient have localised or widespread non-bullous impetigo?					
Localised (3 or less lesions) - Offer hydrogen peroxide 1% cream for 5 days (subject to inclusion/exclusion criteria in protocol) plus self-care					
Widespread (4 or more lesions) - Offer flucloxacillin (if no allergy) for 5 days (subject to inclusion/ exclusion criteria in PGD) plus self-care.					
'Red Flags' such as symptoms associated with sepsis,	Details of red flag symptoms: (if identified)				
meningitis or cancer identified?					
□ Yes					
□ No					

Consultation Outcome				
Treatment option considered: Localised (first line): Hydrogen peroxide 1% cream	Do any exclusion criteria apply: (see relevant PGD) Page Yes No			
If the above is unsuitable or ineffective:	Reason for exclusion: (if excluded)			
Fusidic acid cream				
Widespread (first line):				
Flucloxacillin				
If reported penicillin allergy:				
Clarithromycin				
If pregnant:				
Erythromycin				
For self-care only:				
□ None				
Consultation Outcome:	No supply reason: (required if outcome is not 'medicines supply')			
 Advice given only (no medicine supply) 	□ Patient excluded under terms of PGD			
Medicines supply (continue to medicine supply)	Patient does not consent to treatment			
\square Referral into an appropriate locally commissioned NHS service, such as a	$\hfill\square$ Agreed through shared decision making that self-care was the preferred			
patient group direction	option			
Non-urgent signposting to another service	$\hfill\square$ Agreed through shared decision making to delay treatment and return if			
Urgent escalation to another service	symptoms persist			
Other (please state)	Other (please state)			

PharmOutcomes[®] Pharmacy First - Impetigo

Patient name:_____ Date:____ /___ /___

Medicine Supply					
Medicine name:		Levy status			
Form:		Pays for each prescription item	□ H – Income Support or		
Strength:		, , ,	Income-related Employment and Support Allowance		
Quantity:		□ A – 60 years of age or over OR is under 16 years of age	and Support Allowance		
Age range: (for clarithromycin)	 Children 5-11 years (record weight below) Children 12-17 years 	□ B – 16, 17 or 18 and in full time education	 K – Income-based Jobseeker's Allowance 		
Weight: (kg)		□ D – Maternity exemption	 M – Tax Credit exemption certificate 		
Dose:		certificate	□ S – Pension Credit		
Days supplied:		E – Medical exemption certificate	Guarantee Credit (including partners		
Supply type:	 Patient Group Direction Protocol 	□ F – Prescription prepayment	□ U – Universal Credit and		
Notes:		certificate	meets the criteria		
		G – Prescription exemption certificate issued by MoD	 HMP – Prisoner on release or released from secure accommodation 		
		L – HC2 (full help) certificate			

Referral				
Routine referral: (if necessary)	ODS code of organisation: (if known)			
GP Practice				
Out of hours GP	Reason for referral:			
 Other Community Pharmacy (complete onward referral form) 	Reason for relenal.			
Other (please state)				
Urgent referral: (if necessary)				
GP Practice				
Out of hours GP				
 Other Community Pharmacy (complete onward referral form) 				
Urgent Treatment Centre				
□ 999				
□ A&E				
Other (please state)				

Notes	
Including advice provided and actions for patient:	